

ARENDAL® | 1528 SERIES 8

UNBOXING INSTRUCTIONS





TOWER 8 / CENTER+ 8

CONTENTS

Welcome to the Arendal Sound Family.

We're excited to guide you through the process of safely unpacking your new speakers. Please note that our speakers are designed with a sturdy build, making them quite heavy. To ensure safety and avoid any damage or injury, we recommend having a second person assist you. Additionally, make sure you have plenty of space around you to work comfortably.

For 1528 Tower 8	**2x** Base Supports 	**4x** Puck+ absorption feet 	**8x** M6 screws for mounting the base supports to the base plate 	**1x** M6 Hex Key 
4x Carpet sliders 	**4x** Hard floor sliders 	For 1528 Center+ 8	**8x** Rubber bumpers 	

UNBOXING STEPS





1 *Place the carton on the floor with the writing facing up and the white locking tabs on the bottom. Cut all the white strapping bands and remove them.*

Do not cut the tape!

2 *Remove all 12 locking tabs. By squeezing them with your thumb and index finger you will release the lock.*


Now you can slide the outer protective carton up and put it to the side.






3 *Remove the top lid, and take out the grilles (4x), gloves, and manual, and if you have the Tower 8, also take out the Puck Plus Kit.*


4 *Remove the 4 side carton pieces and put to the side, exposing the speaker in its foam protection.*






5 *Remove the top two foam pieces holding the accessories, the top and bottom foam, and the middle foam brace.*


6 *Locate the drawstring knot of the protective cloth bag on the bottom of the speaker (side for the Center+ 8). Untie it and expose at least 15cm of the speaker.*



For the Tower 8 we will continue with mounting the base supports, Center+ 8 customers can jump to <u>step 9.</u>


7 *Screw in the 4x Puck+ rubber feet into the base supports.*






8

Attach the base supports to the bottom of the 1528 Tower 8 with 8x M8 screws.
Note: The cutout on the base supports should be oriented as shown.





9

With the help of a second person lift up the Tower 8 in its upright position (Center+ 8 would be placed with its side on the foam) out of the remaining carton box and remove the protective cloth bag.

For easier positioning of the speakers, we have included 4 carpet and 4 hard floor sliders that you can find in the foam that is underneath the speaker.


4x **4x**

10

You can now attach the included rubber bumpers on the underside of the speaker (1528 Center+ Only) to prevent any scratches when placing it on furniture.

Do not forget to remove the foam plug(s) from the bass-reflex port(s) for ultimate bass extension.

Enjoy!



Disclaimer: *Do not walk the Stand 8 on its rubber Puck+ (or optional Puck Pro) feet it will cause damage. Always use the floor sliders!*

11 *Fasten your seatbelt and press **Play**.*

